## **CLAIMS**

## What is claimed is:

1

2

3

4

5

6

7

8

9

10

1. A portable climate control dwelling comprising:

a collapsible structure defining an enclosure, the collapsible structure interchangeably transformable between a first storage configuration and a second inhabitable configuration and further having a portion defining a resealable climate control unit receiving aperture; and

a climate control unit reversibly attachable with the collapsible structure for use in its second inhabitable configuration; whereby the climate control unit conditions the air within the enclosure of the collapsible structure.

- 1 2. The portable climate control dwelling of claim 1, wherein 2 the air is cooled.
- 1 3. The portable climate control dwelling of claim 1, wherein 2 the air is heated.
- 1 4. The portable climate control dwelling of claim 1, wherein 2 the collapsible structure defining the climate control unit receiving 3 aperture comprises an elastic member for engaging the climate 4 control unit to form a weather resistant barrier between the exterior 5 and interior of the dwelling.
- 5. The portable climate control dwelling of claim 1, wherein the dwelling if formed from a material selected from the group consisting of polymer, vinyl, nylon, cotton, leather, or combinations thereof.

5 6. The climate control dwelling of claim 5, wherein the dwelling is ballistic nylon. A portable climate control unit carrier comprising a 1 2 plurality of straps, configurable about the exterior of a climate control 3 unit. 1 8. The portable climate control unit carrier of claim 1, 2 wherein the dwelling if formed from a material selected from the group consisting of polymer, vinyl, nylon, cotton, leather, or combinations thereof. 9. The portable climate control unit carrier of claim 8, 1 wherein the dwelling is a ballistic nylon. 3 10. An tent adapter, comprising: a flange having a front and a back, at least a portion of 4 the back affixable to a tent: 5 a boot having first and second ends defining a 6 longitudinally extending aperture there between, the boot 7 affixable at the first end perpendicularly to the flange to affixing 8 9 a climate control unit to a tent. 1 11. The adapter of claim 10, wherein the second end of the boot has an elastic edge. 2 1 12. The adapter of claim 10, wherein the second end has a closure for closing the aperture at the second end. 1 13. The adaptor of claim 10, wherein the adapter formed from a material selected from the group consisting of polymer, vinyl,

nylon, cotton, leather, or combinations thereof.

- 1 14. The adapter claim 13, wherein the adapter is a ballistic 2 nylon.
- 1 15. A kit comprising a collapsible structure defining an
- 2 enclosure, the collapsible structure interchangeably transformable
- 3 between a first storage configuration and a second inhabitable
- 4 configuration and further having a portion defining a pliant,
- 5 resealable climate control unit-receiving aperture.
- 1 16. The kit of claim 15, further comprising a climate control 2 unit.
- 1 17. The kit of claim 15, further comprising a climate control 2 unit carrier.
- 1 18. The kit of claim 17, wherein the climate unit is an air 2 conditioner.
- 1 19. The kit of claim 17, wherein the climate control unit is a 2 heater.
- 1 20. The kit of claim 15, further comprising an adjustable stand
- 2 for holding a climate control unit at a predetermined distance in
- 3 relation to the dwelling.